




Purpose: To set the NSE to allow Free Access to subscribers.

There are several ways to allow subscribers to access the Internet without purchasing access. Below are examples of some refer to “[Apply Bandwidth to Free users](#)” for additional methods.

1. **AAA off** – By disabling AAA, all users are connected without receiving a login screen.



2. **AAA On with only New Subscribers enabled.**





NOMADIX

The User Experience.



NOMADIX™

Are you a new user? Click this button:

New User

Please contact your Network Administrator in case of problems.



NOMADIX™

Free access to the Internet.

OK

Please contact your Network Administrator in case of problems.



3. Free Billing Plan

Step 1. Enable AAA with New Users and either PayPal or PMS billing. In this example, PayPal is enabled without configuring parameters.

Authentication Authorization and Accounting Settings

AAA Services Enable

Options Internal Web Server External Web Server

SSL Support Enabled ⓘ

Encrypt only Sensitive Data Enabled

Certificate DNS Name

Portal Page Enable »

Portal XML POST URL ⚠ Caution

Portal XML Post Port

Usernames Enabled ⓘ

New Subscribers Enabled

Relogin After Timeout Enabled

PayPal Service Enabled »

Smart Client Support Enabled



Step 2: Create a Zero Billing Plan.

Internal Billing Options Plan Setup

Plan

Enable

Label

Description of Service

Facebook Login

Plan Duration

Pricing

Free for PMS User ⓘ

Rate Per Minute

Rate Per Hour

Rate Per Day

Rate Per Week

Rate Per Month

Time Unit

Minute

Hour

Day

Week

Month

Wired for Business

Bandwidth

Maximum Uplink

Maximum Downlink

QoS Policy

DHCP Pool

Private

Public ⓘ

Class



The User Experience



Please choose from the following plans.

Plan Name	Price	Features
<input checked="" type="radio"/> Free Plan	USD 0.00 per Minute	For checking Email only

How much time of Internet access would you like to purchase?

Contact your service provider with questions.

Please enter your promotional code.

Please contact your Network Administrator in case of problems.



4. No Charge Port - When a user connects on this port, they will not receive a login screen.

Add a Port-Location

Location ⓘ

Port (e.g. VLAN ID)

Description ⓘ

Provide DHCP Service ⓘ

Subnet

Default Group Bandwidth Management Policy ⓘ

Max Up Bandwidth (Kbps) ⓘ

Max Down Bandwidth (Kbps) ⓘ

Default QoS Policy

Default CBQ Class

State

- No Charge (Authorization not needed)
- Blocked
- Charge for Use (Authorization is required) ⓘ

Internally-authorized subscribers ⓘ

- Enable Facebook Login
- Enable RADIUS Billing
- Enable PMS Billing
- Enable PayPal Billing

Billing plan(s) available on port ⓘ

- All plans
- No plans
- Specific plans
 - Free Plan
 - Plan B

Allow Intra-port communication